


TFT-DISPLAY DIEBSTAHLSCHUTZ

TFT display theft protection | Protection contre le vol pour écran TFT | Protección antirrobo para pantalla TFT | Protezione antifurto per display TFT

Art.-Nr. 21056-102



Legende/Key/Clé

- Anbau Tipp**
Fitting tip
Astuce de montage
- Achtung**
Attention
Attention
- Vergrößerung**
Magnification
Grossissement
- Montagepaste**
Fitting lubricant
Lubrifiant de montage

- Schraube**
Screw
Vis
- Schraubensicherung**
Thread locking fluid
Freiniflets
- Drehmoment**
Torque
Torque
- Reiniger**
Cleaner
Nettoyant


#	Bauteil component composant	DE Die Farben der Abbildungen dienen nur der Veranschaulichung. EN The colors are for illustrating purposes only. FR Les couleurs utilisées sont à titre indicatif seulement.	DIN	ISO	Menge quantity quantité
1	TFT Diebstahlschutz / TFT theft protection				1
2	Linsenkopfschraube / Lens head screw M5x18		7381	7381	2
3	U-Scheibe / Washer M5		9021	7093	2




1



2



3




4

SCHRAUBEN LOOSE VORMONTIEREN.

Pre-assemble the screws loosely.

Prémontiez les vis sans les serrer.



A close-up, black and white photograph of the rear section of a Honda Grom motorcycle. The central focus is the tail cowl, which features the 'Wunderlich' brand name at the top and a large, stylized 'GS' logo below it. The tail cowl is mounted on a frame with visible mounting brackets and screws on either side. The overall design is rugged and functional.

Alignez la protection contre le vol et serrez les vis de l'image 4.

6



Windschild/windshield

3

*The washers (No. 3) are used at the upper mounting points of the screen.
Les rondelles (n° 3) sont utilisées aux points de fixation supérieurs de la vitre.*

